



Annihilator POLYZONE®

NEW Annihilator POLYZONE® insecticide is a liquid concentrate to be used as a premise spray to provide broad-spectrum control of crawling and flying pests, including flies, darkling beetles, mosquitoes and ticks. With proprietary POLYZONE® technology, the active ingredient, deltamethrin is proven to resist adverse weather conditions and wash-off.¹ This results in controlled, slow release “kill zone” technology that stands up to the elements and slows the wearing down of the active ingredient.²

Long Lasting Residual Control

- With POLYZONE® technology the active ingredient physically adheres to the indoor or outdoor targeted area, even on surfaces such as unpainted and painted wood, PVC or concrete.^{2,3}
- 12 weeks of outdoor residual control, even in areas where wash-off was a concern previously.^{1,2}



Easy to Use

- Available in a 473 mL tip-n-pour container to make measuring and mixing easy.
- On label for indoor and outdoor use and suitable for use on a variety of surfaces including wood and cement.²

Cost Effective

- One bottle can treat up to 1,890 m² (20,343 ft² at a rate of 2.5 ml per 10 m²) or 5,910 m² (63,614 ft² at a rate of 0.8 ml per 10 m²).

Application Information

- Control indoor pests by applications to buildings and structures by spot treatment or crack and crevice application.
- Control outdoor pests by application as a broadcast, spot spray or crack and crevice treatment to exterior surfaces of buildings.

How Does POLYZONE® Work? The polymer within Annihilator POLYZONE® forms a protective layer between the active ingredient particles and the surface. Particles are kept in place and protected from the elements.² The POLYZONE® crystals slowly release the active ingredient over time, reducing the number of applications required for insect control.

Bayer Integrated Pest Management (IPM) Solutions

Rotate Annihilator POLYZONE® with Credo® SC, or Debanitic® 50 WP Insecticide to maximize efficacy and reduce the risk of development of resistant pests. Add QuickBay® to control flies as needed.

Indoor and Outdoor Use

Pest controlled	Dairy barns	Poultry houses	Swine facilities	Horse stables	Dog kennels
Flies	✓	✓	✓	✓	✓
Mosquitoes	✓	✓	✓	✓	✓
Darkling Beetles		✓			
Ticks	✓	✓	✓	✓	✓

Learn more 1-888-663-5326

¹DOF, Bayer Inc., BCS RABDY005. ²DOF, Bayer Inc., BCS Study 543/04.

³DOF, Bayer Inc., BCS Study 543/03. ⁴DOF, Bayer Inc., BCS Study 0543-09-01.

© 2020 Bayer Inc., Mississauga Ontario L4W 5R6, Canada

® TM see www.bayer.ca/tm-mc

Always read and follow label instructions.

This label summary is not intended to provide full label information.
READ AND FOLLOW THE FULL PRODUCT LABEL BEFORE USE.



Annihilator POLYZONE®

Insecticide
AGRICULTURAL

BROAD-SPECTRUM INSECTICIDE FOR STRUCTURAL APPLICATIONS.

Suspension

ACTIVE INGREDIENT: DELTAMETHRIN...50 g/L

REGISTRATION NUMBER 33526 PEST CONTROL PRODUCTS ACT

KEEP OUT OF REACH OF CHILDREN

CAUTION SKIN IRRITANT

NET CONTENTS: 473 mL

GENERAL INFORMATION

- This product is a suspension concentrate formulation containing 50 g of deltamethrin per litre.
- This product is designed for use both indoors and outdoors and will provide effective knockdown of the insect pests listed on this label.
- To kill major nuisance pests listed on the label.
- Users should test (treat) a small, inconspicuous area first to ensure there are no adverse effects such as staining or discolouration.

DIRECTIONS FOR USE

Use Annihilator POLYZONE® as part of an overall integrated pest management program for indoor and outdoor pests.

FOR CONTROL OF INDOOR AND OUTDOOR PESTS	
WHERE TO APPLY	For use only in the following agricultural buildings and structures: such as dairy barns, poultry houses, swine barns, stables, dog kennels and storage sheds. Treat where pests have been seen or found, or can find shelter.
DILUTION RATES	<ol style="list-style-type: none">1. For severe pest infestations, dilute 6 mL of product in 1 Litre of water (concentration: 0.03% deltamethrin).2. For initial service or clean out treatments, dilute 6 mL of product in 1 Litre of water (0.03% deltamethrin).3. For maintenance treatments, dilute 2 mL of product in 1 Litre of water (0.01% deltamethrin).
USE RATE	0.01% - 2 mL/L 0.03% - 6 mL/L Use Rate 0.8 – 2.5 mL concentrate per 10 square metres 410 mL diluted product per 10 square metres.
METHODS OF APPLICATION	<p>INDOOR PESTS: Indoor applications to buildings and structures may only be made as a spot treatment or crack and crevice application. For control of:</p> <ul style="list-style-type: none">- Flies (House flies, Blue bottle flies, Flesh flies, Cluster flies, Stable flies) and Mosquitoes• Apply directly to walls, ceilings, window screens and other resting areas.- Darkling beetles (Lesser mealworms)• To kill Darkling beetles (lesser mealworms) in poultry houses, apply after clean-out and before fresh litter is put down. Apply as a spot and/or crack and crevice treatment to areas where these pests normally inhabit. The area around any cracks or openings in the ceiling or walls should be sprayed in addition to the base of walls around plumbing and other utility installations. Do not add fresh litter until at least one day after spraying. <p>PET KENNELS: To kill ticks, flies, and mosquitoes in and around these structures, apply as a spot and/or crack and crevice spray to the structure where pests have been found or can seek shelter. DO NOT apply in feed mixing areas or on feed or to watering equipment. DO NOT apply to surfaces that may come into contact with feed. Cover or remove all feed. Cover all feed processing surfaces, equipment and utensils or thoroughly wash following treatment. DO NOT apply as a space spray, broadcast or indoor perimeter treatment. DO NOT treat pets.</p> <p>OUTDOOR PESTS: Use this product to control outdoor pests by application as a broadcast, spot spray or crack and crevice treatment to exterior surfaces of buildings. For control of:</p> <ul style="list-style-type: none">- Flies (House flies, Blue bottle flies, Flesh flies, Cluster flies, Stable flies) and Mosquitoes• Apply low pressure (do not exceed 345 kPa (50 psi) at nozzle tip) spray to outside of surfaces of buildings and other areas where flies rest.• Spray siding, eaves, around windows and doors, and window screens. To help reduce infestations, treat cracks and crevices and other indoor winter hiding places.• Cluster flies: Treat in late summer or fall, just before cluster flies begin looking for winter shelter.- Darkling beetles (Lesser mealworms)• Apply as a spray to the exterior surface of poultry houses where darkling beetles may seek entry. <p>Pet Kennels:</p> <ul style="list-style-type: none">- Apply as a coarse wet spray to the exterior surface of dog kennels where ticks have been found or may seek shelter. <p>DO NOT apply to the point of run-off. DO NOT make applications during rain. Application is prohibited directly into drains, water bodies, or aquatic habitat. Do not allow the product to enter any drain during or after application.</p>

RESISTANCE MANAGEMENT RECOMMENDATIONS

For resistance management, please note that Annihilator POLYZONE® contains a Group 3 insecticide. Any insect population may contain individuals naturally resistant to Annihilator POLYZONE® and other Group 3 insecticides. The resistant individuals may dominate the insect population if this group of insecticides is used repeatedly in the same location. Other resistance mechanisms that are not linked to site of action, but specific for individual chemicals, such as enhanced metabolism, may also exist. Appropriate resistance management strategies should be followed.

To delay insecticide resistance:

- Where possible, rotate the use of Annihilator POLYZONE® or other Group 3 insecticides with different groups that control the same pests.
- Insecticide use should be based on an Integrated Pest Management (IPM) program that includes scouting, record keeping, and considers cultural, biological and other chemical control practices.
- Monitor treated pest populations for resistance development.
- Contact your local extension specialist for any additional pesticide resistance-management and/or IPM recommendations for the specific site and pest problems in your area.

For further information and to report suspected resistance, contact a Bayer Animal Health representative at 1-888-663-5326.

PRECAUTIONS

KEEP OUT OF REACH OF CHILDREN

DO NOT APPLY apply when people, pets or livestock are present.

DO NOT allow people, pets or livestock to enter treated areas until sprays have dried.

DO NOT allow spray to drip or allow drift onto non-target surfaces; any spray residue must be removed by the applicator.

DO NOT apply to overhead areas or in confined spaces without appropriate respiratory and eye protection.

Wear a long-sleeved shirt, long pants, socks, shoes and chemical resistant gloves during application and clean up activities. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling.

ENVIRONMENTAL PRECAUTIONS

TOXIC TO AQUATIC ORGANISMS. Use with care when applying in areas adjacent to any body of water and do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters.

TOXIC TO BEES AND CERTAIN BENEFICIAL INSECTS. Bees can be exposed to direct treatment, drift, or residues. Do not apply or allow it to drift where bees are actively foraging.

FIRST AID

IF SWALLOWED: Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION

Skin exposure may cause transient sensations (tingling, burning, itching, numbness). Treat symptomatically.

STORAGE

Store in a cool, dry place and in such a manner as to prevent cross contamination with other pesticides, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area. To prevent contamination store this product away from food or feed.

DISPOSAL

1. Triple- or pressure-rinse the empty container. Add the rinsings to the spray mixture in the tank.
2. Follow provincial instruction for any required additional cleaning of the container prior to its disposal.
3. Make the empty container unsuitable for further use.
4. Dispose of the container in accordance with provincial requirements.
5. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

ACCIDENTAL SPILLS

Handle and open container in a manner as to avoid spillage. You may contact the 24-hour Emergency Phone number for decontamination procedures or any other assistance that may be necessary. The Bayer 24-hour Emergency Phone number is 1-888-663-5326.

NOTICE TO USER

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label.

Bayer Inc. 2920 Matheson Boulevard East Mississauga, Ontario L4W 5R6
© TM see www.bayer.ca/tm-mc

Product Information: 1-888-663-5326

In case of spills, poisoning or fire, telephone emergency response number:
1-888-663-5326 (24 hours a day).